




DREDGE GLENN EDWARDS  
DREDGING STATION 30+00 TO STATION 155+00  
FULL CHANNEL WIDTH SHEETS 5 & 6



LEGEND		3 Fluff Thickness (feet)*	
--- Federal Navigation Channel	● Cable Area	■ -10' and above	
— Federal Navigation Center Line	□ Placement Area	■ -10' to -20'	
— As-built Pipeline/Cable	□ Anchorage Area	■ -20' to -30'	
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	■ -30' to -40'	
— Project Depth Contour	⚓ Wrecks-Submerged	■ -40' to -45'	
		■ -45' to -50'	
		■ -50' to -55'	
		■ -55' and below	
		● Borrow Area	
		● Shoalest Sounding**	
		★ Beacon, General	
		◆ Red Navigation Buoy	
		◆ Green Navigation Buoy	



Gage Reading: 1.7 MLLW @ H.O.P. (01545 OD) @ 1100  
 Sea Conditions: CALM  
 Vessel Name: TOBIN  
 Survey Type: CONDITION, SB  
 Sounding Frequency\*\*\*: LOW



**NOTES:**  
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.  
 Vertical Datum: 0.0' NAVD83, 2008.55 = -0.32' MLLW = 3.18' MLG  
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16). Datum Relationships for gage 01545 as of March 2020:  
 0.0' NAVD83, 2008.55 = -0.32' MLLW = 3.18' MLG  
 Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.  
 The location of navigation aids are base on and provided by the U.S. Coast Guard.  
 2024 Aerial Photography data source: Optimal GEO (1998 DOQQ in green)  
 Reference is N.O.A. Navigation Chart No. 11361.  
 \*\* Shoalest Sounding per Quarter per Reach.  
 \*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



**Disclaimer:** The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. As such, the user is responsible for the accuracy, completeness, and reliability of the data for other than its intended application. The user is responsible for the accuracy, completeness, and reliability of the data for other than its intended application. The user is responsible for the accuracy, completeness, and reliability of the data for other than its intended application. The user is responsible for the accuracy, completeness, and reliability of the data for other than its intended application.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	
Submitted By: JUC & RCC	Plotted By: TSS
Recommended By: Chief, Survey Section	Checked By: MSK
Approved:	Other, Waterways Maintenance Section

**MISSISSIPPI RIVER - B.R. TO GULF  
 SOUTHWEST PASS - SHEET 6  
 SW\_06\_SWP\_20250305\_CS  
 05 March 2025**

**Sheet  
 Reference  
 Number  
 6 of 13**

Revision Number:  
5.23.12.3.3.12.3