

Disclaimer: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and is not intended for use in any other application. The user is responsible for the results of any application of the data for other than its intended purpose. The Corps does not warrant the accuracy of the data. The Corps does not warrant the accuracy of the data for use in any other application. The Corps does not warrant the accuracy of the data for use in any other application. The Corps does not warrant the accuracy of the data for use in any other application.


DISCLAIMER: The United States Government furnishes this data and the recipient accepts and uses them with the express understanding that the recipient is not to be held responsible for any errors, omissions, or implied consequences of the accuracy, completeness, or timeliness of the data furnished. The United States Government makes no warranty, express or implied, for the use of the data for any purpose other than that for which it was prepared. The recipient may not transfer these data to others without also transferring the disclaimer. The information depicted on this map represents the results of a survey conducted on or about the date shown on the map. It is not intended to represent the general condition existing at that time.

| | |
|--|------------------------|
| U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT | |
| Submitted: | Surveyed By: JTB & JJC |
| Recommended: | Plotted By: LLD |
| Approved: | Checked By: MSK |


**MISSISSIPPI RIVER - B. R. TO GULF
SOUTHWEST PASS - SHEET 7
SW_07_SWPX_20250312_CS
12 March 2025**

**Sheet
Reference
Number
7 of 13**


Revision Number:
5.23.12.3-3.23.12.3



| LEGEND | | 3 Fluff Thickness (feet)* | |
|----------------------------------|---------------------|---------------------------|-----------------------|
| --- Federal Navigation Channel | ● Cable Area | ■ -10' and above | ■ -10' to -20' |
| — Federal Navigation Center Line | □ Placement Area | ■ -20' to -30' | ■ -30' to -40' |
| — As-built Pipeline/Cable | □ Anchorage Area | ■ -40' to -45' | ■ -45' to -50' |
| Unconfirmed Pipeline/Cable | ⊗ Obstruction Point | ■ -50' to -55' | ■ -55' and below |
| — Project Depth Contour | ★ Wrecks-Submerged | ★ Beacon, General | ◆ Red Navigation Buoy |
| | | ◆ Green Navigation Buoy | |



Gage Reading: 0.4 MLLW @ H.O.P. (01545 OD) @ 1020
 Sea Conditions: Calm
 Vessel Name: OB 173
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW



NOTES:
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum: Mean Lower Low Water (MLLW, 12-16).
 Datum Relationships for gage 01545 as of March 2020:
 0.0' NAVD83, 2009.55 = -0.32' MLLW = 3.16' MLG
 Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.
 The location of navigation aids are based on and provided by the U.S. Coast Guard.
 2024 Aerial Photography data source: Optimal GEO (1998 DOQQ in green)
 Reference is N.O.A.A. Navigation Chart No. 11361.
 *** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.