

















LEGEND							
---	Federal Navigation Channel		Cable Area		Borrow Area		-12' and above
—	Federal Navigation Center Line		Placement Area		Shoalest Sounding**		-12' to -15'
—	As-built Pipeline/Cable		Anchorage Area		Beacon, General		-15' to -18'
.....	Unconfirmed Pipeline/Cable		Obstruction Point		Red Navigation Buoy		-18' to -20'
—	Project Depth Contour		Wrecks-Submerged		Green Navigation Buoy		-20' and below
						3	Fluff Thickness*



**NOTES:**  
 Horizontal Coordinate System:  
 North American Datum of 1983 (NAD83) projected to the State Plane  
 Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.  
 Vertical Datum:  
 Soundings are given in feet and indicate depths below Mean Low Gulf Datum (MLG).  
 Vertical Datums for the gauge (8850) as of August 2013:  
 0.0 NVD83 = 0.6 MLLW = 1.5 MLG  
 Distances on the Atchafalaya River are shown at 1 mile intervals.  
 The location of navigation aids are based on and provided by the U.S. Coast Guard.  
 2019 Aerial Photography data source: P.A.R. L.L.C. (1988 DOQQ Imagery in green).  
 Reference is to NOAA Navigation Chart No. 11354.  
 \* Difference between high and low frequency elevations greater than 1.0'.  
 \*\*\* Shallowest Soundings per Quarter per Reach.