CORPS OF ENGINEERS

U.S. ARMY



US Army Corps of Engineers District: CEMVN

Distribution Liability: The data represents the results of data collection and processing as of the date indicated. It may not represent the most current information. Navigation channels are subject to change at any time due to the dynamic nature of the environment. The U.S. Army Corps of Engineers assumes no liability for any decisions made or actions taken by any party based upon data provided by this survey. The U.S. Army Corps of Engineers shall not be liable for any damages arising out of the erroneous use or misinterpretation of the data contained on this survey.

Data Constraints: Hydrographic survey data is subject to change due to natural processes and human activities. Soundings may not always represent actual controlling depths. The U.S. Army Corps of Engineers does not warrant the accuracy of any data beyond the date of survey.

DISCLAIMER:
Access Constraints. The United States Government furnishes this data without warranty of any kind, either expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. The United States Government and its employees disclaim responsibility for the completeness and accuracy of the data contained herein and will not be liable for any direct, indirect or consequential damages arising from the use of this data. Use of these data is entirely without any claim being the Government.

Any use of this data for navigation purposes is at the user's own risk. The Government reserves the right to withdraw or modify this data at any time without prior notice.

U.S. ARMY CORPS OF ENGINEERS
MEV CHIEF OF SURVEYS

	Surveyed By	Drawn By	Checked By
Initiated:	RH,ABD,ADAMS	AO	AO

Recommended: _____ Chief, Survey Section

Approved: _____ Chief, Waterways Maintenance Section

ATCHAFALAYA RIVER
BAR CHANNEL
AR_04_BAR_20170606_CS
06 June 2017

Sheet Reference Number
4 of 16

Revision Number
3.12-20160811

VICINITY MAP



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- As-built Pipeline/Cable
- Unconfirmed Pipeline/Cable
- Project Depth Contour
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Borrow Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy
- -15' and above
- -15' to -20'
- -20' and below
- 3 Fluff Thickness*

Gage Reading:	EUGENE ISLAND: 2.4 MLG AVG
Sea Conditions:	CALM
Vessel Name:	M/V BURRWOOD
Survey Type:	CONDITION
Sounding Frequency***:	LOW

Feet
0 800 1,600 2,400 3,200

NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
Datum Relationships for the gage 8860l as of August 2013:
0.0' NAVD88 = 0.6' MLLW = 1.5' MLG

Distances on the Atchafalaya River are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2013 Aerial Photography data source: GEOCLIP, Atlantic Group, LLC. (1998 DOQQ imagery in green).

Reference is N.O.A.A. Navigation Chart No. 11354.

* Difference between high and low frequency elevations where greater than 1.0'.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.