



DISCLAIMER The United States Government furnishes no warranty, either expressed or implied, for the accuracy, completeness, or usefulness of the information contained herein, nor does it warrant that the information and data furnished in this document shall be free of errors. This document is the property of the U.S. Government and is loaned to your agency; it and its contents are not to be distributed outside your agency.



Distribution Liability: The data supports the results of data analysis and is not intended to be used as a basis for any other study or for its intended use, cost, time, and/or economy. The user of the data assumes all liability for the use of the application of the data for other than its intended purposes.

Data Contents: Hydrographic survey data is collected from the U.S. Navy, the U.S. Coast Guard, and the U.S. Army Corps of Engineers and is not intended for navigation and/or other uses. The hydrographic data contains much missing after the stated date of collection. The data is not intended for use by anyone other than the U.S. Navy, the U.S. Coast Guard, and the U.S. Army Corps of Engineers.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Surveyed By: KC,MF
Source: _____	Plotted By: BD	
Recommended _____	Chief Survey Section _____	
Approved: _____	Chief Waterways Maintenance Section _____	Checked By: AOJH

ATCHAFALAYA RIVER
UPPER BAY CHANNEL
AR_06_BAY_20260804_CS
04 August 2026

Sheet
Reference
Number
6 of 16



NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
Datum Relationships for page 88000 as of August 2013:
0.0' NAD83 = 0.6' MLG = 1.2' NALG

Distances on the Alcatraz Reef are shown at 1 mile intervals.

The location of navigation aids are based on and provided by the U.S. Coast Guard.

Aerial Photography data source: BUMP 2006 (DOQG 1998 in transparent green)

Reference is N.O.A.A. Navigation Chart No. 11354.

*** Shalest Soundings per Quarter per Reach.

*** High Frequency (200 kHz) survey data represents the first signal return at a sounding location and likely include suspended solids, known as "fluff," present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict velocities of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and bathymetric settings.