






LEGEND			
	Federal Navigation Channel		Cable Area
	Federal Navigation Center Line		Placement Area
	As-built Pipeline/Cable		Anchorage Area
	Unconfirmed Pipeline/Cable		Obstruction Point
	Project Depth Contour		Wrecks-Submerged
	Borrow Area		Shoalest Sounding**
	Beacon, General		Red Navigation Buoy
	Green Navigation Buoy		Fluff Thickness*



NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
Datum Relationships for gage 52800 as of August 2013:
0.0' NAVD88 = 1.7' MLG

Distances on the Atchafalaya River are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2019 Aerial Photography data source: PAR, LLC 1998

Reference is N.O.A.A. Navigation Chart No. 11354.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT			
Submitted	Surveyed By: CHAMPINE/ADAMS	Plotted By: JH	Checked By: JH
Recommended	Chief Survey Section		Chief Waterways Maintenance Section
Approved			

**ATCHAFALAYA RIVER
BAYOU BOEUF INT.
AR_13_BUF_20260226_CS
26 February 2026**

**Sheet
Reference
Number
13 of 16**

Revision Number:
5.26.02.19-5.26.02.19

**US Army Corps
of Engineers
District: CEMVN**

DISCLAIMER

The data presented in this report was collected and processed for a specific US Army Corps of Engineers activity and indicates the general existing conditions. As such, the data is not intended for use in any other activity or for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

Data Contents: Hydrographic survey data is subject to change and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings. The data is intended for U.S. Army Corps of Engineers internal use. Prudent mariners should not rely solely upon it.