


**NOTES:**

1. At the direction of the Contracting Officer, all dredged material shall be disposed beyond the -32 foot MLG contour of Atchafalaya River or into commercial borrow pits.
2. Actual authorized dimensions vary. Dredging assignments detailing the al +

**TABLE OF COORDINATES**


① x=3315461.2 y=443192.84	④ x=3316249.1 y=441024.9
② x=3315543.64 y=442988.26	⑤ x=3316125.6 y=440150.7
③ x=3316217.7 y=441278.04	

**VERTEX**  
X=3,315,754.0  
Y= 441,094.9  
R= 500'  
DELTA= 29 35'59"



**LEGEND**

Federal Navigation Channel	Cable Area	Borrow Area	-12' and above
Federal Navigation Center Line	Placement Area	Shoalest Sounding**	-12' and below
As-built Pipeline/Cable	Anchorage Area	Beacon, General	
Unconfirmed Pipeline/Cable	Obstruction Point	Red Navigation Buoy	
Project Depth Contour	Wrecks-Submerged	Green Navigation Buoy	



**NOTES:** Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). Datum Relationships for Lower Atchafalaya River at Morgan City (03780) as of May 2014: 0.0' NAVD88 (2009.55) = 2.05' MLG

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2010 Aerial Photography data source: NAIP 1998 DOQQ imagery shown in green from USGS.

Reference is N.O.A. Navigation Chart No. 11355.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



**DISCLAIMER:** The data represents the results of data collection processing for a specific US Army Corps of Engineers project. The data is only valid for its intended use, control, time and accuracy specifications. The user is responsible for the results. The application of the data for other than its intended purpose, the application of the data for other than its intended purpose, the user is responsible for the results. The user is responsible for the results. The user is responsible for the results. The user is responsible for the results.

**U.S. ARMY CORPS OF ENGINEERS  
NEW ORLEANS DISTRICT**

Submitted:	Surveyed By: SJR/JH
Recommended: Chief Survey Section	Plotted By: BJD
Approved: Chief Waterways Maintenance Section	Checked By: ATO

**ATCHAFALAYA RIVER  
BERWICK LOCK FOREBAY  
AS\_00\_BLF\_20160719  
19 July 2016**

**Sheet  
Reference  
Number  
1 of 1**