


DISCLAIMER
 The information depicted on this map represents the results of a survey conducted by the United States Government. The user is responsible for the accuracy, completeness, and reliability of the data for its intended use. The user is responsible for the results of any use of the data for other than its intended purpose. The user is responsible for the results of any use of the data for other than its intended purpose. The user is responsible for the results of any use of the data for other than its intended purpose. The user is responsible for the results of any use of the data for other than its intended purpose.


| | | | | | |
|--------------|------|--------------------------------------|----|-------------|----|
| Submitted: | SPDS | Plotted By: | BD | Checked By: | AC |
| Recommended: | | Chart Survey Section | | | |
| Approved: | | Chief, Waterways Maintenance Section | | | |

**BARATARIA WATERWAY
 LOWER CHANNEL
 BW_14_LWR_20161102
 02 November 2016**



LEGEND

| | | | |
|----------------------------------|---------------------|-------------------------|------------------|
| --- Federal Navigation Channel | ○ Cable Area | □ Borrow Area | ■ -8' and above |
| — Federal Navigation Center Line | □ Placement Area | ● Shoalest Sounding** | ■ -8' to -12' |
| — As-built Pipeline/Cable | □ Anchorage Area | ★ Beacon, General | ■ -12' to -15' |
| Unconfirmed Pipeline/Cable | ⊗ Obstruction Point | ◆ Red Navigation Buoy | ■ -15' and below |
| — Project Depth Contour | ✈ Wrecks-Submerged | ◆ Green Navigation Buoy | |



NOTES:
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum: Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
 Distances on the Barataria Waterway are shown at 1 mile intervals.
 The location of navigation aids are based on and provided by the U.S. Coast Guard and USACE survey crews.
 2010 Aerial Photography data source: NAIP
 Reference is N.O.A. Navigation Chart No. 11365.
 ** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

**Sheet Reference Number
 14 of 20**