



Data Distribution/Licensing: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and indicates the general existing conditions. As such, the data is only valid for its intended use, content, time and accuracy and is not intended to be used for any other purpose than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging, sedimentation, and changing water levels. The U.S. Army Corps of Engineers does not assume any liability for errors in the hydrographical conditions which develop after the date of publication. This data is intended for U.S. Army Corps of Engineers internal use. Prudent mariners should not rely solely upon it.

DISCLAIMER

Access Constraints. The United States Government furnishes this information for the individual's personal use, and does not intend that these data and the recipient accept and uses them with the express understanding that the US Government makes no warranties, expressed or implied, for the accuracy, completeness, reliability, or suitability of these data. The recipient agrees to indemnify and hold the United States Government harmless from any and all claims or damages resulting from the use of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made of these data, including those made by the recipient, and those data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.


The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Surveyed By: _____	SHAFFER/CHAMPINE
Submitted	_____	Picked By: JH	
Recommended	Chief, Survey Section	Checked By: JH	
Approved	Chief, Waterways Maintenance Section		

CALCASIEU SHIP CHANNEL
CAMERON LOOP
CR_00_CML_20250506_CS
06 May 2025


Sheet
Reference
Number
1 of 1

Revision Number:
5.25.04.03-5.25.04.03



LEGEND

--- Federal Navigation Channel	Cable Area	Borrow Area	-16' and above
--- Federal Navigation Center Line	Placement Area	Shoalest Sounding**	-16' to -21'
--- As-built Pipeline/Cable	Anchorage Area	Beacon, General	-21' to -26'
..... Unconfirmed Pipeline/Cable	Obstruction Point	Red Navigation Buoy	-26' to -33'
--- Project Depth Contour	Wrecks-Submerged	Green Navigation Buoy	-33' to -39'
			-39' to -41'
			-41' to -43'
			-43' and below



NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Lower Low Water Datum (MLLW).
Datum Relationships for gauge 736501 as of December 2015:
0.0' NAVD83 (2008.55) = 1.3' MLLW = 2.3' MLG or 0.0' MLLW = 1.0' MLG

Distances on the Calcasieu River are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE survey crews.

2021 Aerial Photography data source: NAIP

Reference is N.O.A.A. Navigation Chart No. 11339.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and include suspended solids, known as "fluff" if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and bathymetry settings.