U.S. ARMY CORPS OF ENGINEERS 482,000 2,644,000 US Army Corps of Engineers District: CEMVN CALCASIEU MOORING AREA LIGHT 53 CASIEU SHIP CHANNEL GAP SHEET 25 25_GAP_20220125_CS 482,000 479,000 476,000 NOTES: Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet. VICINITY MAP **LEGEND** Vertical Datum: -16' and above 2.00 MLLW AVG. Soundings are shown in feet and indicate depths below Mean Lower Low Water Datum (MLLW). Datum Relationships for gage 73650 as of December 2013: 0.0' NAVD88 (2009.55) = 1.3' MLLW = 2.3' MLG or 0.0' MLLW = 1.0' MLG Gage Reading: -16' to -21' 3 Fluff Thickness (feet)* CHOPPY --- Federal Navigation Channel Sea Conditions: Cable Area MV LAFOURCHE -21' to -26' Vessel Name: 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 Shoalest Sounding** Distances on the Calcasieu River are shown at 1 mile intervals. Survey Type: CONDITION -26' to -33' Esri, HERE Garmin, (c) Lower Channel Sounding Frequency***: LOW The location of navigation aids are base on and provided by the U.S. Coast Guard **Upper Channel** As-built Pipeline/Cable -33' to -39' Anchorage Area Beacon, General and USACE survey crews. -39' to -41' ∅ Obstruction Point Unconfirmed Pipeline/Cable 2015 Aerial Photography data source: NAIP Red Navigation Buoy Sheet -41' to -43' Reference is N.O.A.A. Navigation Chart No. 11339. — Project Depth Contour Wrecks-Submerged Reference -43' and below Green Navigation Buoy 800 1,200 * Difference between high and low frequency elevations where greater than 1.0'. Number 400 ** Shoalest Sounding per Quarter per Reach. 25 **of** 53 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consoldiated bottom Revison Number: material. Low frequency accuracies may vary depending on channel conditions and fathometer 4.2-20200420