


LEGEND table with symbols for Federal Navigation Channel, Cable Area, Placement Area, Anchorage Area, Obstruction Point, Wrecks-Submerged, Fluff Thickness, Shoalest Sounding, Beacons, Navigation Buoys, and Depth Contours.



NOTES: Horizontal Coordinate System, Vertical Datum, Gage Reading, Sea Conditions, Vessel Name, Survey Type, Sounding Frequency, Distances on the Calcasieu River, The location of navigation aids are based on and provided by the U.S. Coast Guard and USACE survey crews, 2015 Aerial Photography data source: NAIP, Reference is N.O.A.A. Navigation Chart No. 11339, \* Difference between high and low frequency elevations where greater than 1.0', \*\* Shoalest Sounding per Quarter per Reach, \*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present.

Access to this information is provided for informational purposes only. The user is responsible for the accuracy, completeness, and reliability of the information. The user is responsible for the accuracy, completeness, and reliability of the information. The user is responsible for the accuracy, completeness, and reliability of the information.

Approval table with columns for Surveyed By, Plotted By, Checked By, and Approved, with names SP, JS, BD, and AO/JH.

CALCASIEU SHIP CHANNEL BAR SHEET 29 CR\_29\_BAR\_20240415\_CS 15 April 2024

Sheet Reference Number 29 of 53