



LEGEND

| | | | |
|----------------------------------|---------------------|---------------------------|----------------|
| --- Federal Navigation Channel | ● Cable Area | 3 Fluff Thickness (feet)* | -16' to -21' |
| — Federal Navigation Center Line | □ Placement Area | ● Shoalest Sounding** | -21' to -26' |
| — As-built Pipeline/Cable | □ Anchorage Area | ★ Beacon, General | -26' to -33' |
| --- Unconfirmed Pipeline/Cable | □ Obstruction Point | ★ Red Navigation Buoy | -33' to -39' |
| — Project Depth Contour | ✈ Wrecks-Submerged | ★ Green Navigation Buoy | -39' to -41' |
| | | | -41' to -43' |
| | | | -43' and below |

Gage Reading: CAMERON: 0.29 MLLW
 Sea Conditions: 1-2
 Vessel Name: M/V TECHE
 Survey Type: CONDITION
 Sounding Frequency***: LOW

Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water Datum (MLLW).
 Datum Relationships for page 73650 as of December 2013:
 0.0' NAVD88 (2009.55) = 1.3' MLLW = 2.3' MLG or 0.0' MLLW = 1.0' MLG

Distances on the Calcasieu River are shown at 1 mile intervals.
 The location of navigation aids are based on and provided by the U.S. Coast Guard and USACE survey crews.
 2015 Aerial Photography data source: NAIP
 Reference is N.O.A. Navigation Chart No. 11339.
 * Difference between high and low frequency elevations where greater than 1.0'.
 ** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

US Army Corps of Engineers
 District: CEMVW

Division Liability: The data reported in this report is the result of data collected by the U.S. Army Corps of Engineers and is not intended to be used for any purpose other than that for which it was collected. The user is responsible for the accuracy and reliability of the data for any other purpose.

U.S. ARMY CORPS OF ENGINEERS
 NEW ORLEANS DISTRICT

Submitted: _____
 Recommended: _____
 Checked By: _____
 Approved: _____

CALCASIEU SHIP CHANNEL
BAR SHEET 35
CR_35_BARX_20171108_CS
08 November 2017

Sheet Reference Number
35 of 53

Revision Number:
 112-2016011