


CAMERON PARISH GULF OF MEXICO



US Army Corps of Engineers District: CEMVN

NOTES:

The information depicted on this map represents the results of a hydrographic survey conducted by the U.S. Army Corps of Engineers. The data was collected using a dual beam echosounder and a GNSS receiver. The data was processed using the following parameters: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

The information depicted on this map represents the results of a hydrographic survey conducted by the U.S. Army Corps of Engineers. The data was collected using a dual beam echosounder and a GNSS receiver. The data was processed using the following parameters: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.


NOTES:

The information depicted on this map represents the results of a hydrographic survey conducted by the U.S. Army Corps of Engineers. The data was collected using a dual beam echosounder and a GNSS receiver. The data was processed using the following parameters: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

The information depicted on this map represents the results of a hydrographic survey conducted by the U.S. Army Corps of Engineers. The data was collected using a dual beam echosounder and a GNSS receiver. The data was processed using the following parameters: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Submitted:	Surveyed By: SP-JS
Recommended:	Plotted By: JH
Approved:	Chief, Survey Section
	Chief, Waterways Maintenance Section

**CALCASIEU SHIP CHANNEL
BAR SHEET 37
CR_37_BAR_20250210_PR
10 February 2025**



LEGEND	
--- Federal Navigation Channel	● Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	⊗ Obstruction Point
..... Unconfirmed Pipeline/Cable	✈ Wrecks-Submerged
— Project Depth Contour	3 Fluff Thickness (feet)*
	● Shoalest Sounding**
	★ Beacon, General
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy

NOTES:

Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Lower Low Water Datum (MLLW). Datum Relationships for gage 73650 as of December 2013: 0.0' NAVD88 (2009.55) = 1.3' MLLW = 2.3' MLG or 0.0' MLLW = 1.0' MLG

Distances on the Calcasieu River are shown at 1 mile intervals.

The location of navigation aids are based on and provided by the U.S. Coast Guard and USACE survey crews.

2015 Aerial Photography data source: NAIP

Reference is N.O.A.A. Navigation Chart No. 11339.

* Difference between high and low frequency elevations where greater than 1.0'.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Gage Reading: CAMERON VRN: 0.22 MLLW AVG
Sea Conditions: CHOPPY
Vessel Name: MV TECHE
Survey Type: PROGRESS
Sounding Frequency***: LOW

Scale: 0 to 1,600 Feet

**Sheet Reference Number
37 of 53**

Revision Number: 4.2-20250420