




DISCLAIMER The United States Government furnishes Access Constraints. The United States Government makes no warranty, representation, or implied concerning the accuracy, completeness, or timeliness of the information and data included herein. The information and data furnished by the United States shall not be used for any purpose other than that for which it was made thereof. These data belong to the United States and the recipient fully agrees not to represent these data to anyone as other than the property of the United States Government. The recipient also agrees not to alter or retransmit the data. The recipient agrees to inform the general condition existing at the date of the information presented. The information presented is the result of a survey conducted by the United States Government. The information presented is not intended to be used for any purpose other than that for which it was made thereof.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Surveyed By: P.M.L.B.
Submitted: _____		
Recommended: _____	Chief, Survey Section	Plotted By: J.H.
Approved: _____	Chief, Waterways Maintenance Section	Checked By: J.H.


EMPIRE WATERWAY
EMPIRE BAY
EM_04_BAY_20230503_CS
03 May 2023

Sheet
Reference
Number
4 of 6



LEGEND

--- Federal Navigation Channel	○ ○ Cable Area	□ Borrow Area	
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	■ -9' and above
— As-built Pipeline/Cable	□ Anchorage Area	★ Beacon, General	□ -9' and below
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	
— Project Depth Contour	✈ Wrecks-Submerged	◆ Green Navigation Buoy	



NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2019 Aerial Photography data source: NAIP. 1998 DOQQ imagery
shown in green from USGS.

Reference is N.O.A.A. Navigation Chart No. 11358 and 11364.

*** Shoalest Sounding per Quarter per Reach.

*** High frequency (20 kHz) survey data represents the first signal return at a sounding
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
material. Low frequency accuracies may vary depending on channel conditions and fathometer
settings.