U.S. ARMY CORPS OF ENGINEERS 548,000 551,000 554,000 557,000 560,000 US Army Corps of Engineers District: CEMVN ANOMALY GULF INTRACOASTAL WATERWAY
CHANDELEUR ALT. ROUTE
GC_18_B2G_20150311
11 March 2015 NOAA / NOS Special Projects / Office of Coast Survey 548,000 551,000 554,000 557,000 NOTES: Horizontal Coordinate System: VICINITY MAP North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet. **LEGEND** Vertical Datum: DM16: 3.9 MLG AVG Gage Reading: Soundings are shown in feet and indicate depths below Mean Low Gulf (MLG). Sea Conditions: 1'-3' -- Federal Navigation Channel Cable Area Borrow Area Datum relationships at Baptiste Collette as of 01 May 2013: 0.0' MLLW (2002-2006) = 0.0' NAVD88 (2009.55) = 3.5' MLG M/V TECHE Vessel Name: — Federal Navigation Center Line Placement Area Shoalest Sounding** CONDITION, PPK Survey Type: -12' and above Distances on the GIWW, Chandeleur to Gulfport Route are shown Sounding Frequency***: HIGH at 1 mile intervals. As-built Pipeline/Cable [___] Anchorage Area Beacon, General -12' and below The location of navigation aids are base on and provided by the U.S. Coast Guard. ∅ Obstruction Point ---- Unconfirmed Pipeline/Cable Red Navigation Buoy 2013 Aerial Photography data source: GEOCLIP, Atlantic Group, LLC. Sheet Wrecks-Submerged — Project Depth Contour Reference is N.O.A.A. Navigation Chart No. 11373. Reference **Green Navigation Buoy** 1,000 1,500 2,000 2,500 500 Number ** Shoalest Sounding per Quarter per Reach. 18 **of** 26 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consoldiated bottom Esri, HERE, DeLorme, MapmyIndia, © contributors, and the GIS user commu Revison Number: 3.6.1-20140429

material. Low frequency accuracies may vary depending on channel conditions and fathometer