


**DISCLAIMER:** The data represents the results of data collection for a specific US Army Corps of Engineers project. It is only valid for the intended use, and the user is responsible for the accuracy, completeness, and reliability of the data for other than its intended purpose. The Corps of Engineers does not accept any responsibility for changes in the hydrographic conditions which develop after the date of the survey. The Corps of Engineers does not warrant the accuracy of the data for any other purpose.

**NOTES:** The United States Government furnishes this data and the recipient accepts and uses them with the express understanding that the data is not to be used for any purpose other than that for which it was provided, and that the recipient is not to be held liable for any use of the data for any other purpose. The recipient may not transfer these data to others without obtaining the permission of the United States Government. The recipient may not transfer these data to others without obtaining the permission of the United States Government. The recipient may not transfer these data to others without obtaining the permission of the United States Government.

Submitted:	Surveyed By: CHUSTZ
Recommended:	Plotted By: JHI
Approved:	Checked By: JHI

U.S. ARMY CORPS OF ENGINEERS  
NEW ORLEANS DISTRICT

**GULF INTRACOASTAL WATERWAY  
HOUMA NAV TO CHENE**  
G\_52\_H2C\_20240913\_CS\_5X5\_POSTSTORM  
13 September 2024



**LEGEND**

--- Federal Navigation Channel	○ Cable Area	□ Borrow Area	■ -12' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	□ -12' and below
— As-built Pipeline/Cable	□ Anchorage Area	★ Beacon, General	
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	
— Project Depth Contour	⚓ Wrecks-Submerged	◆ Green Navigation Buoy	

**NOTES:**

Horizontal Coordinate System:  
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:  
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).

Mile markers on the G.I.W.W. are shown in one mile intervals.

The location of navigation aids are based on and provided by the U.S. Coast Guard.

2017 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS.

Reference is N.O.A.A. Navigation Chart No. 11355.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Gage Reading: VRN ADJUSTED TO MLG  
Sea Conditions: CALM  
Vessel Name: CHUSTZ  
Survey Type: CONDITION  
Sounding Frequency\*\*\*: HIGH

0 500 1,000 Feet

Sheet Reference Number  
52 of 191

Revision Number:  
4-2102(04/20)