


Distribution Liability: The data represents the results of data collection... The user is responsible for the results... Application of the data for other than its intended purpose... Data Constants: Hydrographic survey data is subject to change... The user is responsible for the results of the data... The user is responsible for the results of the data... The user is responsible for the results of the data...

Table with 4 columns: Submitted, Recommended, Approved, and Checked. Includes names: CHUSTZ, JHI, JHI.



LEGEND section containing symbols for Federal Navigation Channel, Cable Area, Borrow Area, Shoalest Sounding, Beacon, Red Navigation Buoy, Green Navigation Buoy, Federal Navigation Center Line, Placement Area, Anchorage Area, Obstruction Point, Wrecks-Submerged, As-built Pipeline/Cable, Unconfirmed Pipeline/Cable, Project Depth Contour, and depth contours (-12' and above, -12' and below).

Navigation information including a compass rose, Gage Reading (CALM), Sea Conditions (CHUSTZ), Vessel Name (CONDITION), Survey Type (HIGH), Sounding Frequency (HIGH), and a scale bar in feet (0, 500, 1,000).

NOTES: Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet. Vertical Datum: Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). Mile markers on the G.I.W.W. are shown in one mile intervals. The location of navigation aids are based on and provided by the U.S. Coast Guard. 2017 Aerial Photography data source: NAIP, 1998 DOQQ imagery shown in green from USGS. Reference is N.O.A.A. Navigation Chart No. 11355. ** Shoalest Sounding per Quarter per Reach. *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

GULF INTRACOASTAL WATERWAY HOUMA NAV TO CHENE G_55_H2C_20240913_CS_5X5_POSTSTORM 13 September 2024

Sheet Reference Number 55 of 191