


**Distribution Liability:** The data represents the results of data collection processing for a specific US Army Corps of Engineers project. It is not to be used for any purpose other than that intended for its use. The user is responsible for the results. The user must verify the accuracy, completeness, and reliability of the data for other than its intended purpose. Data Collection: Hydrographic survey data is subject to change due to several factors including but not limited to dredging activity, changes in channel conditions, and changes in the bathymetry of the area. The user must verify the data for the specific project conditions when developing the data for internal use. Product maintainers should not rely solely upon it.


Submitted:	Surveyed By: SPJH
Recommended: Chet Survey Section	Plotted By: BD
Approved: Chet Waterways Maintenance Section	Checked By: AC

**GULF INTRACOASTAL WATERWAY  
20 GRAND POINT  
GI\_67\_BBW\_20200902\_CS\_POSTSTORM  
02 September 2020**


**Sheet Reference Number  
67 of 191**



LEGEND		
--- Federal Navigation Channel	● Cable Area	□ Borrow Area
— Federal Navigation Center Line	■ Placement Area	● Shoalest Sounding**
— As-built Pipeline/Cable	⊗ Anchorage Area	☆ Beacon, General
... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy
— Project Depth Contour	⊗ Wrecks-Submerged	◆ Green Navigation Buoy



Gage Reading: MC/BBL WEST: 3.87 MLG AVG.  
Sea Conditions: CALM  
Vessel Name: OB-169  
Survey Type: CONDITION  
Sounding Frequency\*\*\*: LOW



**NOTES:**  
Horizontal Coordinate System:  
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.  
Vertical Datum:  
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). Datum Relationships for Lower Atchafalaya River at Morgan City (03780) as of 2017: 0.0' NAVD88 (2009.55) = 1.89' MLG  
The location of navigation aids are base on and provided by the U.S. Coast Guard.  
2015 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS.  
Reference is N.O.A.A. Navigation Chart No. 11355.  
\*\* Shoalest Sounding per Quarter per Reach.  
\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.