



DISCLAIMER

Access Constraints: The United States Government furnishes this information to the public without charge and without understanding that the U.S. Government makes no warranties, either expressed or implied, regarding the accuracy, reliability, timeliness, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be liable for damages only to the extent that the user has been notified in writing that the information is not to be relied upon for critical purposes.

Information Provided: These data belong to the Government. Therefore the user is not to disseminate, copy, or otherwise make these data to others without prior written permission from the United States Government. The recipient may not transfer these data to others without also transferring this Disclaimer.

Information Provided on this Map: represents the results of a scientific investigation and should not be considered to represent the general condition existing at that time.

Distribution Liability: The data represents the results of data collected by the United States Government. The U.S. Government makes no warranties, either expressed or implied, regarding the accuracy, reliability, timeliness, usability or suitability for any particular purpose of the information and the data furnished. The user is responsible for the results of any application of the data for other than its intended purpose.


Data Constraints: Hydrographic survey data is subject to change rapidly due to natural shoaling and scouring processes. The U.S. Government makes no warranties, either expressed or implied, regarding the accuracy, reliability, timeliness, usability or suitability for any particular purpose of the information and the data furnished. The user is responsible for the results of any application of the data for other than its intended purpose. The hydrographical conditions which develop after the date of the survey may differ from those shown on this map. The user's internal use. Product materials should not solely rely on this map.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Submitted _____	Surveyed By: PM/LT _____
		Recommended: Chief, Survey Section _____	Plotted By: BD _____
		Approved: Chief, Waterways Maintenance Section _____	Checked By: AOJH _____

GULF INTRACOASTAL WATERWAY
20 GRAND POINT
GI_67_BBW_20260728_CS
28 July 2026

Sheet
Reference
Number
67 of 191

Revision Number:
5.26.05.21-5.26.05.21



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- As-built Pipeline/Cable
- Unconfirmed Pipeline/Cable
- Project Depth Contour
- Cable Area
- Placement Area
- Anchorage Area
- ⊗ Obstruction Point
- ✈ Wrecks-Submerged
- Borrow Area
- Shoalest Sounding**
- ★ Beacon, General
- ◆ Red Navigation Buoy
- ◆ Green Navigation Buoy
- -6' and above
- -6 to -8
- -8 to -10
- -10 to -12
- -12' to -15'
- -15' to -18'
- -18' to -20'
- -20' and below

Compass Rose: N, S, E, W

Scale: 0, 500, 1,000 Feet

Metadata:
 Gage Reading: 3.78 MLG AVG.
 Sea Conditions: CALM
 Vessel Name: DUCARPE
 Survey Type: CONDITION
 Sounding Frequency: 200

NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
Datum Relationships for Lower Atchafalaya River at Morgan City (03780) as of 2025:
0.0' NAVD88 (2009.55) = 2.19' MLG

This location of navigation aids are base on and provided by the U.S. Coast Guard.

2023 Aerial Photography data source: NAIP

Reference is N.O.A.A. Navigation Chart No. 11355.

*** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended sediments, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.