U.S. ARMY CORPS OF ENGINEERS 3,262,000 3,268,000 3,265,000 419,000 US Army Corps of Engineers District: CEMVN 13.0 2660+00 5650+00 568 5670. 5630+ 5640 GULF INTRACOASTAL WATERWAY
WAX LAKE OUTLET
GI_75_WLO_20241121_CS 0 3,262,000 3,265,000 3,268,000 NOTES: **VICINITY MAP** Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet. **LEGEND** BAYOU SALE RIDGE: 2.85 MLG AVG Gage Reading: 0-1FT --- Federal Navigation Channel Sea Conditions: Cable Area Borrow Area Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). VALENTOUR -12' and above Vessel Name: — Federal Navigation Center Line Placement Area The location of navigation aids are base on and provided by the U.S. Coast Guard. Shoalest Sounding** CONDITION Survey Type: ____ -12' and below 2015 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS. Sounding Frequency***: HIGH Anchorage Area As-built Pipeline/Cable Beacon, General ∅ Obstruction Point Reference is N.O.A.A. Navigation Chart No. 11355. Unconfirmed Pipeline/Cable Red Navigation Buoy Feet Sheet ** Shoalest Sounding per Quarter per Reach. — Project Depth Contour Wrecks-Submerged Reference Green Navigation Buoy *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) 500 1,000

Number survey data normally penetrates through this "fluff" layer to depict elevations of consoldiated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer 75 **of** 191 Revison Number: 4.2-20200420