


Accession: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that they are for informational purposes only and are not to be used for any other purpose. The user is responsible for the results of any use of these data. The information depicted on this map represents the results of a survey conducted under contract to the U.S. Army Corps of Engineers. The information is not to be used for any other purpose. The information is not to be used for any other purpose. The information is not to be used for any other purpose.


U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	
Submitted By:	RYLAND/SOUKI
Recommended By:	BD
Approved By:	AC

**GULF INTRACOASTAL WATERWAY
WAX LAKE OUTLET**
GI_76_WLO_20201215_CS
15 December 2020



LEGEND

--- Federal Navigation Channel	○ Cable Area	□ Borrow Area	■ -12' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	□ -12' and below
— As-built Pipeline/Cable	⊗ Anchorage Area	☆ Beacon, General	
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	
— Project Depth Contour	⊗ Wrecks-Submerged	◆ Green Navigation Buoy	



NOTES:
Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
Vertical Datum: Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
The location of navigation aids are base on and provided by the U.S. Coast Guard.
2015 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS.
Reference is N.O.A. Navigation Chart No. 11355.
** Shoalest Sounding per Quarter per Reach.
*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.