



















LEGEND			
	Federal Navigation Channel		Cable Area
	Federal Navigation Center Line		Placement Area
	As-built Pipeline/Cable		Anchorage Area
	Unconfirmed Pipeline/Cable		Obstruction Point
	Project Depth Contour		Wrecks-Submerged
			Borrow Area
			Shoalest Sounding**
			Beacon, General
			Red Navigation Buoy
			Green Navigation Buoy
			-12' and above
			-12' and below



NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Mean Low Gull Datum (MLG).

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2021 Aerial Photography data source: NAIP

Reference is N.O.A.A. Navigation Chart No. 11355.

**** Shoalest Sounding per Quarter per Reach.**

***** High Frequency (200 KHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (2 survey data normally penetrates through this "fluff" layer to depict elevations of consolidated material. Low frequency accuracies may vary depending on channel conditions and bathymetry settings.**



**US Army Corps
of Engineers
District: CEMVN**

[illegible]

<p align="center">U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT</p>		<p>Surveyed By: ADAMS/CHAMPINE</p>
Submitted: _____	_____	<p>Plotted By: BD</p>
Recommended: _____	Chief, Survey Section	<p>Checked By: AQ/JH</p>
Approved: _____	Chief, Waterways Maintenance Section	

GULF INTRACOASTAL WATERWAY
WAX LAKE OUTLET
GI_76_WLO_20250418_CS
18 April 2025

Sheet
Reference
Number
76 of 191