




DISCLAIMER
 The information depicted on this map represents the results of a survey conducted by the United States Army Corps of Engineers. The user is responsible for the accuracy, completeness, and reliability of the data for its intended use. The user is not to be held liable for any loss or damage resulting from the use of this information. The user is not to be held liable for any loss or damage resulting from the use of this information. The user is not to be held liable for any loss or damage resulting from the use of this information.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	
Submitted:	Surveyed By: ADAMS/CHAMPINE
Recommended:	Plotted By: BD
Approved:	Checked By: AD/JH


**GULF INTRACOASTAL WATERWAY
 CHARENTON TO PETIT ANSE
 GI_92_C2P_20241024_CS
 24 October 2024**

**Sheet
 Reference
 Number
 92 of 191**



LEGEND

Federal Navigation Channel	Cable Area	Borrow Area	-12' and above
Federal Navigation Center Line	Placement Area	Shoalest Sounding**	-12' and below
As-built Pipeline/Cable	Anchorage Area	Beacon, General	
Unconfirmed Pipeline/Cable	Obstruction Point	Red Navigation Buoy	
Project Depth Contour	Wrecks-Submerged	Green Navigation Buoy	



NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane
 Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).
 The location of navigation aids are base on and provided by the U.S. Coast Guard.
 2017 Aerial Photography data source: NAIP. 1998 DOQQ imagery
 shown in green from USGS.
 Reference is N.O.A. Navigation Chart No. 11350.
 ** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding
 location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
 survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
 material. Low frequency accuracies may vary depending on channel conditions and fathometer
 settings.