U.S. ARMY CORPS OF ENGINEERS 2,998,000 **US Army Corps** of Engineers **District: CEMVN** GULF INTRACOASTAL WATERWAY FRESHWATER TO MERMENTAU GW_16_F2M_20230530_CS 2,992,000 2,995,000 470,000 NOTES: Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet. **VICINITY MAP LEGEND** NTRIP RTK VRS: 2.62 MLG AVG. Gage Reading: Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). CALM --- Federal Navigation Channel Cable Area Borrow Area Sea Conditions: OB-169 -12' and above Vessel Name: Mile markers on the G.I.W.W. are shown in one mile intervals. Shoalest Sounding** — Federal Navigation Center Line Placement Area CONDITION Survey Type: The location of navigation aids are base on and provided by the U.S. Coast Guard. -12' and below Sounding Frequency***: LOW As-built Pipeline/Cable Anchorage Area Beacon, General 2017 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS. ∅ Obstruction Point Unconfirmed Pipeline/Cable Red Navigation Buoy Reference is N.O.A.A. Navigation Chart No. 11350. Feet Sheet — Project Depth Contour Wrecks-Submerged ** Shoalest Sounding per Quarter per Reach. Reference Green Navigation Buoy 500 1,000 Number *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) 116 **of** 191 survey data normally penetrates through this "fluff" layer to depict elevations of consoldiated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community Revison Number: 4.2-20200420