



LEGEND

--- Federal Navigation Channel	○○ Cable Area	□ Borrow Area	-12' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	-12' and below
— As-built Pipeline/Cable	[] Anchorage Area	★ Beacon, General	
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	
— Project Depth Contour	➤ Wrecks-Submerged	◆ Green Navigation Buoy	

NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

critical Datum:

oundings are shown in feet and indicate depths below Mean Low Gulf Level.

The markers on the G.I.W.W. are shown in one mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

10 Aerial Photography data source: NAIP. 1998 DOQQ images
down in green from USGS

reference is N.G.A.A. Navigation Chart No. 11248.

Reference is N.O.A.A. Navigation Chart No. 11348.

High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

**Sheet
Reference
Number**

Revision Number:
3.8.0-20150202