



<u>LEGEND</u>	
— Federal Navigation Channel	○ ○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy

Gage Reading: POSPac RTX - NOAA MLG Separation Model
Sea Conditions: CALM
Vessel Name: Blake
Survey Type: CONDITION
Sounding Frequency*:** 350kHz

NOTES:
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG). Datum Relationships for 76305 as of August 2014: 0.0' NAVD88 (OPUS 2010) = 0.42' MLLW (2007-2011) = 1.34' MLG

Scale: Miles

Scale: Feet



DISCLAIMER: The data represents the results of data collection and processing by a specific US Army Corps of Engineers activity and includes the general existing conditions. Such data is provided "as is" without warranty of any kind, expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. The United States Government, its contractors, and employees are not liable for damages resulting from the use of this data. The user is responsible for the results of any application of the data to other than its intended purpose. Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging operations, changes in river patterns, subsidence, and/or changes in hydrographic conditions which develop after the date of distribution. The data is provided "as is" without warranty of any kind, expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Surveyed By: David Evans and Associates, Inc.
Submitted:	Printed By: AC
Recommended: Chief Survey Section	Checked By: AC
Approved: Chief Waterways Maintenance Section	

HOUMA NAVIGATION CANAL
BAR CHANNEL
HN_18_BAR_20210904_CS_POSTIDA
04 September 2021

Sheet Reference Number
18 of 19

Revision Number: 4.2-200420

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.