



LEGEND	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	❖ Wrecks-Submerged
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy

LWRP: 1.9
Gage Reading: BR:30.5 D:20.5 USED:26.00 NAVD
Sea Conditions: CALM
Vessel Name: MV VALENTOUR
Survey Type: CONDITION
Sounding Frequency*:** HIGH

0' and above
0' to -5'
-5' to -10'
-10' to -20'
-20' to -30'
-30' to -35'
-35' to -40'
-40' to -45'
-45' and below

N E
W S

Feet
0 500 1,000 1,500 2,000 2,500

NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NAVD).
Distances on the Mississippi River, above and below Head of Passes are shown
at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.
2015 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.

Reference is N.O.A.A. Navigation Chart No. 11370.

** Shoal sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
material. Low frequency accuracies may vary depending on channel conditions and fathometer
settings.



Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. As such, the data is not necessarily accurate or complete for other uses. The user is responsible for the results of any application of the data for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging and filling operations, shoaling and scouring processes, changes in the hydrographic conditions over time, which develop after the date of publication. This data is intended for U.S. Army Corps of Engineers internal use. Public entities should rely solely upon it.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	
Surveyed By:	RVL/ADAMS
Protected By:	BD
Recommended:	One Survey Section
Approved:	One Waterways Maintenance Section
Checked By:	AO

**MISSISSIPPI RIVER - B.R. TO GULF
GRANADA CROSSING
MD_10_GRA_20220415_CS**
15 April 2022

Sheet
Reference
Number
10 of 97

Revision Number:
4.2-200420