



Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions as such. The user assumes responsibility for the use of the data and its results. The user is responsible for the results of any application of the data for other than its intended purpose.

Data Conditions: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging activities and natural shoaling and scouring processes of the river. The user is responsible for keeping the data current.

Disclaimer: The data is intended for U.S. Army Corps of Engineers internal use and shall not be sold to third parties. The data is provided "as is" without warranty of any kind, either express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. The user agrees to indemnify the U.S. Army Corps of Engineers for any claims, damages, losses, expenses, or costs arising out of the user's use of the data.

| U.S. ARMY CORPS OF ENGINEERS<br>NEW ORLEANS DISTRICT |                                     |
|--|-------------------------------------|
| Surveyed By:   | DJSI/PS                             |
| Submitted:   |                                     |
| Project By:  | AC                                  |
| Recommended:   | One I Survey Section                |
| Approved:  | One I Waterways Maintenance Section |

**MISSISSIPPI RIVER - B.R. TO GULF  
ALHAMBRA CROSSING  
MD\_16\_ALH\_20200415\_CS**  
15 April 2020



**NOTES:**

Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NAVD). Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.

2015 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.

Reference is N.O.A.A. Navigation Chart No. 11370.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (20 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

LWRP: 1.7  
Gage Reading: BR:43.4D:31.3 USED:34.7 NAVD  
Sea Conditions: SMOOTH  
Vessel Name: LAFOURCHE  
Survey Type: CS  
Sounding Frequency\*\*\*: HIGH

