



U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Submitted: _____	Reviewed By: RYLAND/CHAMPAGNE _____
		Recommended: Chief, Survey Section _____	Plotted By: JH _____
		Approved: Chief, Waterways Maintenance Section _____	Checked By: JH _____

**GULF INTRACOASTAL WATERWAY**  
**MORGAN CITY TO PORT ALLEN ROUTE**  
**MP\_04\_A2S\_20250318\_CS**  
**18 March 2025**

Sheet  
Reference  
Number  
4 of 30

Revision Number:  
5.24.09.03-5.24.09.03



**NOTES:**

Horizontal Coordinate System:  
North American Datum of 1983 (NAD83), projected to the State Plane  
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:  
Soundings are shown in feet and indicate depths below Mean Low Gulf Datum (MLG).

Distances on the G.I.W.W. are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard  
and USACE survey crews.

2021 Aerial Photography data source: NAIP

Reference is N.O.A.A. Navigation Chart No. 11354.

**\*\* Shoalest Sounding per Quarter per Reach.**

**\*\*\*** High frequency (200 kHz) survey data represents the first signal return at a sounding  
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)  
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom  
material. Low frequency accuracies may vary depending on channel conditions and fathometer  
settings.