


<u>LEGEND</u>		LWRP:	2.8
Borrow Area	0' and above	Gage Reading:	BR:31.9D:22.2 USED:32.3 NGVD
Placement Area	0' to -5'	Sea Conditions:	CALM
Anchor Area	-5' to -10'	Vessel Name:	MV OB189
Obstruction Point	-10' to -20'	Survey Type:	CONDITION
Wrecks-Submerged	-20' to -30'	Sounding Frequency***:	HIGH
	-30' to -35'		
	-35' to -40'		
	-40' to -45'		
	-45' and below		

**NOTES:**

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD).
Distances on the Mississippi River, above and below Head of Passes are shown
at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.
2010 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.

Reference is N.O.A.A. Navigation Chart No. 11370.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
material. Low frequency accuracies may vary depending on channel conditions and fathometer
settings.

Sheet
Reference
Number
1 of 97

Revision Number:
3.8.0-20150202

US Army Corps of Engineers
District: CEMVN

Distribution Liability: The data represents the results of data collection processing for a specific US Army Corps of Engineers activity and includes the general existing conditions as such. The data is provided "as is" without warranty or guarantee of its accuracy. The user is responsible for the results of any use of the data. The user is responsible for the results of any use of the data. Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging activities, natural shoals and scouring, and changes in the hydrographic conditions which develop after the date of publication. This data is intended for U.S. Army Corps of Engineers internal use and shall not be sold or distributed outside the U.S. Army Corps of Engineers. The data is intended for use in developing and maintaining navigation aids and control points for the U.S. Army Corps of Engineers. The data is intended for use in developing and maintaining navigation aids and control points for the U.S. Army Corps of Engineers. The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to depict the general condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS
NEW ORLEANS Maintenance Section
Surveyed By: DR IA
Submitted: _____
Recommended: One Survey Section
Approved: One Waterways Maintenance Section

MISSISSIPPI RIVER - B.R. TO GULF
BATON ROUGE FRONT RECON
MR_01_BRF_20160415
15 April 2016