


- LEGEND**
- Federal Navigation Channel
 - Federal Navigation Center Line
 - As-built Pipeline/Cable
 - Unconfirmed Pipeline/Cable
 - Project Depth Contour
 - Cable Area
 - Placement Area
 - Anchorage Area
 - ★ Beacon, General
 - ☒ Obstruction Point
 - ✗ Wrecks-Submerged
 - Shoalest Sounding**
 - Borrow Area
 - ◆ Red Navigation Buoy
 - ◆ Green Navigation Buoy

0' and above	2.8
0' to -5'	BR:16.7 D:9.6 USED:17.0 NGVD
-5' to -10'	Sea Conditions: CALM
-10' to -20'	Vessel Name: OB-189
-20' to -30'	Survey Type: CONDITION
-30' to -35'	Sounding Frequency***: HIGH
-35' to -40'	
-40' to -45'	
-45' and below	



Feet
0 500 1,000 1,500 2,000 2,500

NOTES:

Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD). Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew. 2010 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office. Reference is N.O.A.A. Navigation Chart No. 11370.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Sheet
Reference
Number
1 of 97

Revision Number:
3.8.0-20150202



Distribution Liability: The data represents the results of data collection processed for a specific US Army Corps of Engineers activity and includes the general existing conditions, such as, but not limited to, boundaries, names, and other geographical features. The data is not necessarily current or accurate. The user is responsible for the results of any application of the data for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change due to several factors including but not limited to dredging activities, natural shoals and scouring processes caused by the hydrographic conditions when developing the data.

This information depicts the results of a survey conducted under contract to the U.S. Army Corps of Engineers. The survey was performed by [redacted] using survey equipment and techniques acceptable to the U.S. Army Corps of Engineers. The surveyor is responsible for the quality of the survey data and the surveyor's findings.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS Maintenance Section	
Submitted:	One I Survey Section
Recommended:	One I Survey Section
Approved:	One I Waterways Maintenance Section
Charged By:	MSK

**MISSISSIPPI RIVER - B.R. TO GULF
BATON ROUGE FRONT RECON**
MR_01_BRF_20160711
11 July 2016