



<u>LEGEND</u>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	✖ Obstruction Point
— Project Depth Contour	★ Beacon, General
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy
	0' and above
	0' to -5'
	-5' to -10'
	-10' to -20'
	-20' to -30'
	-30' to -35'
	-35' to -40'
	-40' to -45'
	-45' and below

LWRP: 2.4
Gage Reading: BR:13.95D:7.80 USED: 12.9 NGVD
Sea Conditions: LIGHT CHOP
Vessel Name: OB-189
Survey Type: CS
Sounding Frequency*:** HIGH

N E
W S

Feet

0 500 1,000 1,500 2,000 2,500

NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD).
Distances on the Mississippi River, above and below Head of Passes are shown
at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.
2015 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.

Reference is N.O.A.A. Navigation Chart No. 11370.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
material. Low frequency accuracies may vary depending on channel conditions and fathometer
settings.

Sheet
Reference
Number
6 of 97

Revision Number:
3.12-20160811

**MISSISSIPPI RIVER - B.R. TO GULF
SARDINE POINT RECON
MR_06_SDP_20180731_CS**
31 July 2018

US Army Corps of Engineers
District: CEMVN

DISTRIBUTION STATEMENT A: This data represents the results of data collection/processing by a specific US Army Corps of Engineers activity and relates to the general existing conditions as such. The data is not necessarily representative of the current conditions. The user is responsible for the results of any application of the data for other than its intended purpose. Data Contains Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging activity and natural shoaling and scouring processes. The U.S. Army Corps of Engineers which developed the data, or its contractors, shall not be liable for any damages resulting from the use of this data. The data is intended for U.S. Army Corps of Engineers internal use. Please submit any comments or concerns to the U.S. Army Corps of Engineers.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Survived By: DSR
Submitted:	Protected By: MS
Recommended: Chief Survey Section	Checked By: WS
Approved: Chief Waterway Maintenance Section	