
**LEGEND**

- Federal Navigation Channel
- Federal Navigation Center Line
- As-built Pipeline/Cable
- Unconfirmed Pipeline/Cable
- Project Depth Contour
- Cable Area
- Placement Area
- Anchorage Area
- ★ Beacon, General
- ☒ Obstruction Point
- ✗ Wrecks-Submerged
- Shoalest Sounding**
- Borrow Area
- Anchorage Area
- ◆ Red Navigation Buoy
- ◆ Green Navigation Buoy

- | |
|----------------|
| 0' and above |
| 0' to -5' |
| -5' to -10' |
| -10' to -20' |
| -20' to -30' |
| -30' to -35' |
| -35' to -40' |
| -40' to -45' |
| -45' and below |

LWRP: 1.7
Gage Reading: BR:27.3 D:18.8 USED:21.2 NGVD
Sea Conditions: CALM
Vessel Name: OB-189
Survey Type: CONDITION
Sounding Frequency*:** HIGH



0 500 1,000 1,500 2,000 2,500 Feet

NOTES:

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD).
Distances on the Mississippi River, above and below Head of Passes are shown
at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.
2010 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.
Reference is N.O.A.A. Navigation Chart No. 11370.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding
location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz)
survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
material. Low frequency accuracies may vary depending on channel conditions and fathometer
settings.

**Sheet
Reference
Number**
16 of 97

Revision Number:
3.8.0-20150202



Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions as such. The data is not warranted to be accurate or complete. The user is responsible for the results of its application for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change due to several factors including but not limited to dredging activities and natural shoals and currents. The data is subject to change in the hydrographic conditions when developed after the date of publication. This data is intended for U.S. Army Corps of Engineers internal use and shall not be considered reliable for other than its intended purpose.

Disclaimer: The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS	
NEW ORLEANS DISTRICT	
Surveyed By:	DS/H
Submitted:	
Plotted By:	BD
Recommended:	One I Survey Section
Approved:	One I Waterways Maintenance Section
Checked By:	AC

MISSISSIPPI RIVER - B.R. TO GULF
ALHAMBRA RECON
MR_16_ALH_20170208
08 February 2017