





Access to this information is provided for your use only. The user is responsible for the results of any data derived from this information. The user is responsible for the results of any data derived from this information. The user is responsible for the results of any data derived from this information.



Table with 3 columns: Submitted, Recommended, Approved. Rows include Surveyed By (SPPM), Plotted By (BTD), and Checked By (MSK).

MISSISSIPPI RIVER - B.R. TO GULF FAIRVIEW RECON MR_48_FRV_20151118 18 November 2015

Sheet Reference Number 48 of 97



LEGEND section containing symbols for Federal Navigation Channel, Cable Area, Borrow Area, Shoalest Sounding, Beacons, Navigation Buoys, Placement Area, Anchorage Area, Obstruction Point, Wrecks-Submerged, and depth contours.



LWRP: 1.1
Gage Reading: R:6.15 NO:4.42 USED:5.0 NGVD
Sea Conditions: CALM
Vessel Name: OB-167
Survey Type: CONDITION
Sounding Frequency***: HIGH

NOTES:
Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
Vertical Datum: Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD).
Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.
The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.
2010 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.
Reference is N.O.A.A. Navigation Chart No. 11370.
*** Shoalest Sounding per Quarter per Reach.
*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and bathymeter settings.