



LEGEND		
— Federal Navigation Channel	○ Cable Area	■ Shoaling Area
— Federal Navigation Center Line	■ Placement Area	● Shoalest Sounding**
— As-built Pipeline/Cable	□ Anchorage Area	☆ Beacon, General
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy
— Project Depth Contour	⚓ Wrecks-Submerged	◆ Green Navigation Buoy
		0' and above
		0' to -5'
		-5' to -9'
		-9' and below



LWRP: 14.6
Gage Reading: KL:29.5 RR:27.2 USED:28.10 NGVD
Sea Conditions: CALM
Vessel Name: OB-189
Survey Type: CONDITION
Sounding Frequency*:** HIGH

NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NGVD).
 Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.
 The location of navigation aids are based on and provided by the U.S. Coast Guard and USACE crew.
 2010 Aerial Photography data source: NAIP, USDA-FSA-APFO Aerial Photography Field Office.
 Reference is USACE IENC U35LM236.
 *** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



DISTRIBUTION LIABILITY: The data represents the results of data collection processing for a specific US Army Corps of Engineers project. It is only valid for its intended use, control, time and accuracy specifications. The user is responsible for the results. The application of the data for other than its intended purpose is at the user's risk.
Data Accuracy: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging, shoaling, and other changes in the hydrographical conditions when developed after the date of the survey. The information depicted on this map represents the results of a survey conducted under the general conditions existing at that time.
Access/Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that they are not to be used for any purpose other than that for which they were provided. The user is responsible for the reliability, usability or suitability for any particular purpose of the information. The user is responsible for the accuracy, completeness, or implied warranty of the information. The user is responsible for the information under no liability whatsoever to any person by reason of any use of the information. These data belong to the Government. Therefore, the user is prohibited from disclosing the information to other persons or organizations. These data are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without obtaining the permission of the U.S. Army Corps of Engineers. The recipient is responsible for changes in the information depicted on this map representing the results of a survey conducted under the general conditions existing at that time.

Submitted:	Surveyed By:
Recommended:	Ryland/Rhoden
Approved:	Plotted By:
	BD
	Checked By:
	AC

MISSISSIPPI RIVER - SHALLOW DRAFT
FORT ADAMS REACH
MS_08_FAR_20161214
14 December 2016

Sheet Reference Number
8 of 39