





LEGEND

--- Federal Navigation Channel	⊙ Cable Area	■ Shoaling Area	0' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	0' to -5'
— As-built Pipeline/Cable	⊞ Anchorage Area	★ Beacon, General	-5' to -9'
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	□ -9' and below
— Project Depth Contour	⚓ Wrecks-Submerged	◆ Green Navigation Buoy	



Feet

0 300 600 900 1,200 1,500

LWRP:	2.8
Gage Reading:	SF:39.1 BR:32.0 USED:33.3 NAVD
Sea Conditions:	CALM
Vessel Name:	M/V LAFOURCHE
Survey Type:	CS
Sounding Frequency***:	HIGH

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below Low Water Reference Plane 2007 (NAVD).

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard and USACE crew.

2021 Aerial Photography data source: NAIP

Reference is USACE IENC U35LM236.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



**US Army Corps
of Engineers
District: CEMVN**

Distribution Liability. The data represents the results of data collection and analysis. It is not intended to be used for any activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specifications. The user is responsible for the results of any of the application of the data for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change rapidly due to natural factors including but not limited to dredging activity and severe shoaling and scouring processes. The U. S. Army Corps of Engineers accepts no responsibility for changes in bathymetry. This data is intended for U. S. Army Corps of Engineers publication. Prudent mariners should not rely solely upon it.

DISCLAIMER: The United States Government furnishes these data and the US Government acquires and uses them with the understanding that the recipient acquires and uses them with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, readability, suitability or liability for any particular purpose of the information and the data furnished. The United States shall be held harmless for any damages, including consequential damages, that may result from the use of the information furnished. These data are made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer. The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT		Reviewed By: ADAMS/CHAMPINE
Submitted: _____		Plotted By: BD
Recommended: _____	Chief Survey Section	
Approved: _____	Chief Waterways Maintenance Section	Checked By: AOJ/H

MISSISSIPPI RIVER - SHALLOW DRAFT
WILKERSON POINT
MS_39_WILX_20250701_CS
01 July 2025

Sheet
Reference
Number
39 of 39

Revision Number:
5.25.04.03-5.25.04.03