



TABLE OF COORDINATES


POINT NO.	X	Y
1	3177319.136	905485.019
2	3177078.443	907480.021
3	3176613.880	908417.707
4	3175807.880	909200.672
5	3175359.699	909636.057

CURVE #1 DATA
 $\Delta = 38^\circ 56' 46.430''$
 $D = 3^\circ 39' 00''$
 $R = 1569.53$
 $T = 555.00$
 $L = 1066.87$
 $LC = 1046.46$



LEGEND

--- Federal Navigation Channel	○ Cable Area	□ Borrow Area	■ -8' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	■ -8' to -10'
— As-built Pipeline/Cable	□ Anchorage Area	★ Beacon, General	■ -10' to -12'
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	■ -12' and below
— Project Depth Contour	⚓ Wrecks-Submerged	◆ Green Navigation Buoy	



NOTES:
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.
 Vertical Datum: Soundings are shown in feet and indicate depths below National Geodetic Vertical Datum of 1929 (NGVD29).
 The location of navigation aids are based on and provided by the U.S. Coast Guard. Positions of navigation aids shown may also have been surveyed in the field by USACE.
 2010 Aerial Photography data source: NAIP, 1998 DOQQ imagery shown in green from USGS.
 Reference is N.O.A.A. Navigation Chart No. 11354.
 ** Shoalest Sounding per Quarter per Reach.
 *** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



ACCESSORIES: The United States Government furnishes these data and the recipient accepts and uses them with the express warranty, usability or suitability for any particular purpose of the recipient. The user is responsible for the accuracy, completeness, and reliability of the data for other than its intended purpose. Data Contaminated: Hydrographic survey data is subject to change due to several factors including but not limited to dredging operations, sedimentation, and other factors. The user is responsible for the accuracy of the data for other than its intended purpose. The information depicted on this map represents the results of a survey conducted under contract to the U.S. Army Corps of Engineers and is not to be used for any other purpose without the express written consent of the U.S. Army Corps of Engineers. Product maintainers should not rely solely upon it.

U.S. ARMY CORPS OF ENGINEERS
 NEW ORLEANS DISTRICT

Submitted:	Surveyed By: RYLAND/HOSHMAN
Recommended:	Plotted By: BD
Approved:	Checked By: AC

OLD RIVER LOCK VICINITY
OLD RIVER LOCK FOREBAY
OR_01_LFB_20190723_CS
 23 July 2019

Sheet Reference Number
 1 of 4