





**TABLE OF COORDINATES**

POINT NO.	X	Y
1	3173799.847	911152.012
2	3173757.630	911193.041
3	3168453.395	916211.660
4	3166622.631	916698.836
5	3165637.125	916460.188

**CURVE #2 DATA**  
 $\Delta = 57^\circ 13' 33.760''$   
 $D = 2^\circ 53' 13.2''$   
 $R = 1984.33$   
 $T = 1078.00$   
 $L = 1974.99$   
 $LC = 1894.48$

**APPROX LIMIT OF DREDGING**  
 STA. 179+50



**LEGEND**

--- Federal Navigation Channel	○ Cable Area	□ Borrow Area	■ -8' and above
— Federal Navigation Center Line	□ Placement Area	● Shoalest Sounding**	■ -8' to -10'
— As-built Pipeline/Cable	□ Anchorage Area	★ Beacon, General	■ -10' to -12'
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point	◆ Red Navigation Buoy	■ -12' and below
— Project Depth Contour	⚓ Wrecks-Submerged	◆ Green Navigation Buoy	

**NOTES:**

Horizontal Coordinate System:  
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:  
 Soundings are shown in feet and indicate depths below National Geodetic Vertical Datum of 1929 (NGVD29).

The location of navigation aids are based on and provided by the U.S. Coast Guard. Positions of navigation aids shown may also have been surveyed in the field by USACE.

2015 Aerial Photography data source: NAIP, 1998 DOQQ imagery shown in green from USGS.

Reference is N.O.A.A. Navigation Chart No. 11354.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Gage Reading: ORL TAILBAY: 10.40 NGVD  
 Sea Conditions: CALM  
 Vessel Name: OB-189  
 Survey Type: CONDITION  
 Sounding Frequency\*\*\*: HIGH

Scale: 0 to 1,500 Feet



**DISCLAIMER:** The data represents the results of data collection for a specific US Army Corps of Engineers project. The data is only valid for the intended use, control, time and accuracy specifications. The user is responsible for the results. The user shall be held responsible for any errors or omissions. The user shall be held responsible for any errors or omissions. The user shall be held responsible for any errors or omissions.

**U.S. ARMY CORPS OF ENGINEERS  
 NEW ORLEANS DISTRICT**

Submitted:	Surveyed By: RYLAND HOSHMAN
Recommended:	Plotted By: BD
Approved:	Checked By: AC

**OLD RIVER LOCK VICINITY  
 OLD RIVER LOCK TAILBAY  
 OR\_02\_LTB\_20190924\_CS  
 24 September 2019**

**Sheet Reference Number  
 2 of 4**