

G.I.W.W. CHANNEL C/L
X,Y COORIDINATES
1.) x = 3,165,637.12 y = 916,460.18
2.) x = 3,164,150.51 y = 915,448.24
3.) x = 3,163,839.42 y = 914,873.43
4.) x = 3,163,150.25 y = 913,099.57
5.) x = 3,161,461.76 y = 911,823.89

VICINITY MAP



**LEGEND**

| | | | |
|---|---|---|---|
| Federal Navigation Channel | Cable Area | Borrow Area | 🟥 -8' and above |
| Federal Navigation Center Line | Placement Area | ● Shoalest Sounding** | -8' to -10' |
| As-built Pipeline/Cable | Anchorage Area | ☆ Beacon, General | 🟩 -10' to -12' |
| Unconfirmed Pipeline/Cable | Obstruction Point | ♦ Red Navigation Buoy | -12' and below |
| Project Depth Contour | Wrecks-Submerged | ♦ Green Navigation Buoy | |

| | |
|---|---|
| Gage Reading: | ORL TB: 22.35 NGVD |
| Sea Conditions: | CALM |
| Vessel Name: | OB-167 |
| Survey Type: | CONDITION |
| Sounding Frequency***: | HIGH |



**NOTES:**

Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below National Geodetic Vertical Datum of 1929 (NGVD29).

The location of navigation aids are based on and provided by the U.S. Coast Guard. Positions of navigation aids shown may also have been surveyed in the field by USACE.

2015 Aerial Photography data source: NAIP. 1998 DOQQ imagery shown in green from USGS.

Reference is N.O.A.A. Navigation Chart No. 11354.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consoldiated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

US Army Corps
of Engineers
District: CEMVN

DISCLAIMER
Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, readability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specifications. The user is responsible for the results of any of the application of the data for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging activity and natural shoaling and scouring processes. The U. S. Army Corps of Engineers accepts no responsibility for changes in the hydrographical conditions which develop after the date of publication. This data is intended for U. S. Army Corps of Engineers' internal use. Prudent mariners should not rely solely upon it.

U.S. ARMY COPRPS OF ENGINEERS
NEW ORLEANS DISTRICT

Surveyed By: RYLAND/ADAMS
Plotted By: BD
Checked By: AO

Submitted:
Recommended: Chief, Survey Section
Approved: Chief, Waterways Maintenance Section

# OLD RIVER LOCK VICINITY
# THREE RIVERS 1
# OR_03_3R1_20210709_CS
# 09 July 2021

Sheet Reference Number
3 of 4

Revison Number:
4.1-20191105