



<b>LEGEND</b>	
— Federal Navigation Channel	○ ○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point
— Project Depth Contour	★ Beacon, General
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy
	-5' and above
	-5' to -10'
	-10' to -15'
	-15' to -20.5'
	-20.5' and below

Gage Reading: 0.7 MLLW @ PORT EADS @ 1150  
 Sea Conditions: CALM  
 Vessel Name: OB-173  
 Survey Type: CONDITION, SB  
 Sounding Frequency\*\*\*: LOW

0 500 1,000 1,500 2,000 2,500 Feet



**NOTES:**  
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Lower Low Water Datum (MLLW). Datum Relationships for gage 01850 as of Jan 2022: 0.0' NAVD88 = 0.34' MLLW

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (20 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.



**DISCLAIMER**  
 Distribution liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers active and inactive hydrographic survey. The general existing condition of such, including the reliability or suitability of the data furnished, is not guaranteed. The user is responsible for the results of any application of the data to other than its intended purpose.  
 Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including buried material or changes in the hydrographic conditions which develop after the date of publication. The data is intended for U.S. Army Corps of Engineers use as a reference for engineering purposes and no endorsement is made of its use for any other purpose. The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to be valid in the general condition existing at the time.

U.S. ARMY CORPS OF ENGINEERS	
NEW ORLEANS DISTRICT	
Surveyed By: MGF JJC	Submitted By: RSL
Recommended: One Survey Section	Approved: One Waterways Maintenance Section

**MISSISSIPPI RIVER - B.R. TO GULF**  
**SOUTH PASS - SHEET 5**  
**SP\_05\_SPS\_20220708\_CS**  
**08 July 2022**

**Sheet Reference Number**  
**5 of 6**

Revision Number:  
 42-2000420