



Gage Reading: 1.80 MLLW @ PILOT TOWN @ 1100
Sea Conditions: CALM, FLUFF (SAND WAVES)
Vessel Name: JOHN BOPP
Survey Type: CONDITION, SB
Sounding Frequency***: LOW

0 500 1,000 1,500 2,000 2,500 Feet



Distribution Liability: The data represents the results of data collection processes for a specific Army Corps of Engineers activity and indicates the general existing conditions. Such activities include hydrographic surveying, dredging, and other engineering activities. The user is responsible for the results of any use of the data for other than its intended purpose.
Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging, navigation, and changes in the river bed. The user is responsible for keeping the data current and for using the latest available data.
The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered valid during the time period shown. The map is not to be used for internal use. Previous surveys should not be relied upon.

U.S. ARMY CORPS OF ENGINEERS	
NEW ORLEANS DISTRICT	
Survived By: LLB & TDG	Printed By: RSL
Submitted: ____	Checked By: MSK
Recommended: Chief Survey Section	Approved: Chief Waterways Maintenance Section

**MISSISSIPPI RIVER - B.R. TO GULF
SOUTHWEST PASS - SHEET 4
SW_04_SWP_20180416_CS**
16 April 2018

Sheet Reference Number
4 of 13

Revision Number:
3.12-20160811

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.