



<u>LEGEND</u>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	● Shoalest Sounding**
..... Unconfirmed Pipeline/Cable	□ Anchorage Area
— Project Depth Contour	★ Beacon, General
	⊗ Obstruction Point
	♂ Wrecks-Submerged
	■ Borrow Area
	■ Red Navigation Buoy
	◆ Green Navigation Buoy
	-10' and above
	-10' to -20'
	-20' to -30'
	-30' to -40'
	-40' to -45'
	-45' to -48.5'
	-48.5' to -55'
	-55' and below

Gage Reading: 2.0 MLLW @ PILOT TOWN @ 0925
 Sea Conditions: CALM
 Vessel Name: TECHE
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW

0 500 1,000 1,500 2,000 2,500 Feet

NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane
 Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 07-11).
 Datum Relationships for gage 01525 as of July 2015:
 0.0' NAVD88 = -0.3' MLLW = 3.20' MLG

Distances on the Mississippi River, above and below Head of Passes are shown
 at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.
 2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

US Army Corps of Engineers
District: CEMVN

Distribution liability: The data represents the results of data collection processing by a specific US Army Corps of Engineers activity and reflects the general existing conditions. Such data is not necessarily the result of a formal survey and is not to be used for engineering specifications. The user is responsible for the results of any application of the data for other than its intended purpose.

Data Constraints: Hydrographic surveying is subject to change rapidly due to several factors including, but not limited to dredging operations, subsidence, or changes in the hydrographic conditions which develop after the date of publication. The data is intended for U.S. Army Corps of Engineers use only and is not to be used for engineering purposes. The data is intended for U.S. Army Corps of Engineers use only and is not to be used for engineering purposes.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to be current on the date indicated. It is the responsibility of the surveyor to keep the data current.

This information is for reference only and is not to be considered reliable for engineering purposes.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Surveyed By: LLB & SUR
Submitted:	Plotted By: LLB
Recommended: Chief Survey Section	Checked By: MSK
Approved: Chief Waterways Maintenance Section	

**MISSISSIPPI RIVER - B.R. TO GULF
SOUTHWEST PASS - SHEET 4
SW_04_SWP_20200519_CS_PRO**
19 May 2020

Sheet Reference Number
4 of 13

Revision Number:
4-01907022