


VICINITY MAP



ANSWER The answer is 1000.

- Federal Navigation Channel
 - Federal Navigation Center Line
 - As-built Pipeline/Cable
 - Unconfirmed Pipeline/Cable
 - Project Depth Contour




-  Borrow Area
 -  Shoalest Sounding**
 -  Beacon, General
 -  Red Navigation Buoy
 -  Green Navigation Bu

A vertical color scale representing temperature ranges. The scale transitions from red at the top to blue at the bottom, divided into eight horizontal bands. Each band is labeled with its corresponding temperature range:

- 10' and above
- 10' to -20'
- 20' to -30'
- 30' to -40'
- 40' to -45'
- 45' to -48.5'
- 48.5' to -55'
- 55' and below


Gage Reading: 1.5 MLLW @ PILOT TOWN @ 1205
Sea Conditions: CHOPPY SEAS
Vessel Name: JOHN BOPP
Survey Type: CONDITION, SB
Sounding Frequency***: LOW



w

Scanning Frequency = 1.25W

Feet

0 500 1,000 1,500 2,000 2,500

NOTES:

Coordinate System:
Datum of 1983 (NAD83), projected to the State Plane
System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

shown in feet and indicate depths below Mean Lower Low Water (MLLW, 07-11).

0.3' MLLW = 3.20' MLG

Mississippi River, above and below Head of Passes are shown
S.

aviation aids are base on and provided by the U.S. Coast Guard.

Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green).

D A A Navigation Chart No. 11361

frequency (200 kHz) survey data represents the first signal return at a sounding and may include suspended solids, known as "fluff", if present. Low frequency (24 kHz) normally penetrates through this "fluff" layer to depict elevations of consolidated bottom sediments. Frequency accuracies may vary depending on channel conditions and fathometer settings.

**Sheet
Reference
Number**

Revision Number:
2.12.20160811