


<u>LEGEND</u>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	♂ Wrecks-Submerged
	■ Borrow Area
	● Shoalest Sounding**
	■ Anchorage Area
	★ Beacon, General
	⊗ Obstruction Point
	♂ Wrecks-Submerged
	● Red Navigation Buoy
	◆ Green Navigation Buoy

Gage Reading: 2.1 MLLW @ PILOT TOWN @ 0920
 Sea Conditions: CALM
 Vessel Name: BLANCHARD
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW



0 500 1,000 1,500 2,000 2,500
 Feet

NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 07-11).
 Datum Relationships for gage 01525 as of July 2015:
 0.0' NAVD88 = -0.3' MLLW = 3.20' MLG

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

US Army Corps of Engineers District: CEMVN

DISCLAIMER
 Access Constraints: The United States Government furnishes these data and the recipient agrees to use them with the express understanding that the U.S. Government makes no warranties, expressed or implied, concerning the accuracy, reliability or suitability of these data for any particular purpose. The United States shall be under no liability in respect of the use made of these data by the recipient or any other person. The recipient agrees to indemnify and hold the U.S. Government harmless from all claims and expenses arising out of the use made of these data.
 Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including burial, shifts in dredging operations, changes in the hydrographical conditions which develop after the date of publication. The data is intended for U.S. Army Corps of Engineers use only. The information depicted on the map represents the results of a survey conducted on the date indicated and can only be considered reliable in the general condition existing at the time.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Surveyed By: LLB & TDG
Submitted: _____	Protected By: PLotted BY _____
Recommended: One Survey Section	Approved: One Waterways Maintenance Section

**MISSISSIPPI RIVER - B.R. TO GULF
SOUTHWEST PASS - SHEET 5
SW_05_SWP_20190329_CS**
29 March 2019

Sheet Reference Number
5 of 13

Revision Number: 312-20160811