



VICINITY MAP




11

- LEGEND**

— Federal Navigation Channel	○ ○	Cable Area	□	Borrow Area	— 10' and above
— Federal Navigation Center Line	○ ○	Placement Area	●	Shoalest Sounding**	-10' to -20'
— As-built Pipeline/Cable	[]	Anchorage Area	★	Beacon, General	-20' to -30'
..... Unconfirmed Pipeline/Cable	⊗	Obstruction Point	◆	Red Navigation Buoy	-30' to -40'
— Project Depth Contour	↗	Wrecks-Submerged	◆	Green Navigation Buoy	-40' to -45'
					-45' to -48.5'
					-48.5' to -55'
					-55' and below



Gage Reading: 2.4 MLLW @ PILOT TOWN @ 1030
Sea Conditions: CALM
Vessel Name: JOHN BOPP
Survey Type: CONDITION, SB
Sounding Frequency***: LOW



TESTS:

State Plane Coordinate System:
Datum of 1983 (NAD83), projected to the State Plane
Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

own in feet and indicate depths below Mean Lower Low Water (MLLW, 07-11).
os for gage 01525 as of July 2015:

' MLLW = 3.20' MLG
Mississippi River, above and below Head of Passes are shown

igation aids are base on and provided by the U.S. Coast Guard.

raphy data source: Precision Aerial P

(200 kHz) survey data represents the first signal return at a sounding
clude suspended solids, known as "fluff", if present. Low frequency (24 kHz)
ly penetrates through this "fluff" layer to depict elevations of consolidated bottom
frequency accuracies may vary depending on channel conditions and fathometer

Sheet Reference Number

Revision Number:
4.1-20191105