



<u>LEGEND</u>			
—	Federal Navigation Channel	○ ○	-10' and above
—	Federal Navigation Center Line	■	-10' to -20'
—	As-built Pipeline/Cable	□	-20' to -30'
.....	Unconfirmed Pipeline/Cable	□ □	-30' to -40'
—	Project Depth Contour	★	-40' to -45'
		×	-45' to -50'
		◆	-50' to -55'
		▲	-55' and below

Gage Reading: 1.3 MLLW @ PILOT TOWN @ 0840
 Sea Conditions: CALM
 Vessel Name: BLANCHARD
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW

North arrow and scale bar (0 to 2,500 feet) included.

NOTES:
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16). Datum Relationships for gage 01525 as of March 2020: 0.0' NAVD88, 2009.55 = -0.53' MLLW = 2.97' MLG

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.
 2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Sheet Reference Number
5 of 13

Revision Number:
42-2000420

U.S. ARMY CORPS OF ENGINEERS	NEW ORLEANS DISTRICT
Submitted By:	Surveyed By: JJC & MGF
Recommended By:	Planned By: TS
Chief Survey Section	Checked By: MSK
Approved:	Chie Waterways Maintenance Section

MISSISSIPPI RIVER - B.R. TO GULF
SOUTHWEST PASS - SHEET 5
SW_05_SWP_20210806_CS_PRO
06 August 2021

DISCLAIMER
 These constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, regarding the general accuracy and reliability of such data for any particular purpose. The United States shall be liable only for damages resulting from its gross negligence or willful misconduct. The user is responsible for the results of any application of the data for other than its intended purpose.
 Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging operations, changes in river bed material, and changes in Army Corps of Engineers' dredge sites. The user is responsible for keeping the data current. The user is also responsible for changes in hydrographical conditions which develop after the date of publication. This data is intended for U.S. Army Corps of Engineers' internal use only and is not to be used open to the public.
 The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to be current within the period of time during which the survey was conducted. The user is advised to review the map periodically to determine if it is still current.

US Army Corps of Engineers
 District: CEMVN