



<u>LEGEND</u>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	♂ Wrecks-Submerged
	◆ Shoalest Sounding**
	● Red Navigation Buoy
	◆ Green Navigation Buoy

Gage Reading: 0.8 MLLW @ PILOT TOWN @ 1135
 Sea Conditions: CALM
 Vessel Name: BLANCHARD
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW

0 500 1,000 1,500 2,000 2,500 Feet

NOTES:
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16). Datum Relationships for gage 01525 as of March 2020:
 0.0' NAVD88, 2009.55 = -0.53' MLLW = 2.97' MLG

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.
 2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Sheet Reference Number
5 of 13

Revision Number:
 42-2000420

US Army Corps of Engineers District: CEMVN

DISCLAIMER
 These constraints: The United States Government furnishes these constraints to the recipient accept and uses them with the express understanding that the US Government makes no warranties, expressed or implied, regarding the general existing conditions of such areas and that the user is responsible for the results of any application of the data for other than its intended purpose.

DATA CONSTRAINTS
 Hydrographic survey data is subject to change rapidly due to several factors including but not limited to dredging operations, changes in river bed material, and changes in Army Corps of Engineers' needs. The user is responsible for the results of any application of the data for other than its intended purpose.

This data is intended for U.S. Army Corps of Engineers hydrography applications which develop after the date of publication. This data is not to be used for any other purpose.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to be valid for the period of time during which the survey was conducted.

U.S. ARMY CORPS OF ENGINEERS
 NEW ORLEANS DISTRICT
 Surveyed By: JTB & DBD
 Submitted: TS
 Recommended: Chief Survey Section
 Approved: Chief Waterways Maintenance Section

**MISSISSIPPI RIVER - B.R. TO GULF
 SOUTHWEST PASS - SHEET 5
 SW_05_SWP_20211020_CS_PRO**
 20 October 2021