

**Accession:** CEMVN  
**Accession Number:** 20230330\_CS\_HDDA  
**Accession Date:** 30 March 2023

**Accession Description:** Hydrographic survey data for the Mississippi River, Southwest Pass, Sheet 5. The data includes bathymetry, navigation aids, and disposal areas. The survey was conducted in 2022 using a 200 kHz echosounder and a 12 m depth sounder. The data is intended for use in the development of a navigation chart for the area.

**Accession Status:** Available for public use.


**Accession Location:** District of Engineers, New Orleans, Louisiana.

**Accession Contact:** [Redacted]


Submitted:	Chart Survey Section
Recommended:	TSS
Approved:	MSK

**MISSISSIPPI RIVER - B. R. TO GULF**  
**SOUTHWEST PASS - SHEET 5**  
**SW\_05\_SWP\_20230330\_CS\_HDDA**  
**30 March 2023**


**Sheet Reference Number**  
**5 of 13**



LEGEND	
--- Federal Navigation Channel	● Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	⊗ Obstruction Point
— Project Depth Contour	★ Wrecks-Submerged
□ Borrow Area	★ Beacon, General
● Shoalest Sounding**	◆ Red Navigation Buoy
■ -10' and above	◆ Green Navigation Buoy
■ -10' to -20'	
■ -20' to -30'	
■ -30' to -40'	
■ -40' to -45'	
■ -45' to -50'	
■ -50' to -55'	
■ -55' and below	



Gage Reading: 0.7 MLLW @ VENICE @ 1110  
 Sea Conditions: CALM  
 Vessel Name: OB-173  
 Survey Type: CONDITION, SB  
 Sounding Frequency\*\*\*: LOW



**NOTES:**  
 Horizontal Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.  
 Vertical Datum: 0.1545 (0.0) GAGE -0.15 (NAV058) 2009.55 = -0.47' MLLW (12-16).  
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16). Datum Relationships for gage 01525 as of March 2020: 0.0' NAVD88, 2009.55 = -0.53' MLLW = 2.97' MLG.  
 Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.  
 The location of navigation aids are based on and provided by the U.S. Coast Guard.  
 2022 Aerial Photography data source: Optimal GEO (1998 DOQQ in green).  
 Reference is N.O.A. Navigation Chart No. 11361.  
 \*\* Shoalest Sounding per Quarter per Reach.  
 \*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.