


<b>LEGEND</b>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy
	◆ Wrecks-Submerged
	◆ Shoalest Sounding**

Gage Reading: 2.6 MLLW @ LIGHT-21 @ 1105  
 Sea Conditions: CALM  
 Vessel Name: JOHN BOPP  
 Survey Type: CONDITION, SB  
 Sounding Frequency\*\*\*: LOW



0 500 1,000 1,500 2,000 2,500  
 Feet

**NOTES:**  
 Horizontal Coordinate System:  
 North American Datum of 1983 (NAD83), projected to the State Plane  
 Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:  
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 07-11).  
 Datum Relationships for gage 01575 as of July 2015:  
 0.0' NAVD88 = 0.17' MLLW = 3.67' MLG

Distances on the Mississippi River, above and below Head of Passes are shown  
 at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.  
 2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

\*\* Shoalest Sounding per Quarter per Reach.

\*\*\* High frequency (200 kHz) survey data represents the first signal return at a sounding  
 location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz)  
 survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom  
 material. Low frequency accuracies may vary depending on channel conditions and fathometer  
 settings.

**Sheet  
Reference  
Number**  
**8 of 13**

Revision Number:  
4.0-201907022

US Army Corps of Engineers  
District: CEMVN

**DISCLAIMER**  
 The data represents the results of data collection processing. The data is specific to the specific area and does not represent the general existing conditions. Such data is not necessarily suitable for any particular purpose. The United States Government is not responsible for the results of any application of the data for other than its intended purpose.  
**Data Constraints**: Hydrographic data is subject to change rapidly due to several factors including, but not limited to dredging operations, new structures, and changes in the hydrographical conditions which develop after the date of publication. The data is intended for U.S. Army Corps of Engineers use only and is not to be used open to the public.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Surveyed By: JH & ROC
Submitted: _____	Plotted By: JS
Recommended: _____	Checked By: MSK
Chief, Survey Section	Approved: _____
Chief, Waterways Maintenance Section	_____

**MISSISSIPPI RIVER - B.R. TO GULF  
SOUTHWEST PASS - SHEET 8  
SW\_08\_SWP\_20200507\_CS\_PRO**  
07 May 2020