


<u>LEGEND</u>	
— Federal Navigation Channel	○ Cable Area
— Federal Navigation Center Line	■ Placement Area
— As-built Pipeline/Cable	□ Anchorage Area
..... Unconfirmed Pipeline/Cable	★ Beacon, General
— Project Depth Contour	⊗ Obstruction Point
	◆ Red Navigation Buoy
	◆ Wrecks-Submerged
	■ Borrow Area
	● Shoalest Sounding**
	■ Anchorage Area
	⊗ Obstruction Point
	◆ Red Navigation Buoy
	◆ Green Navigation Buoy

Gage Reading: 0.7 MLLW @ LIGHT 21 @ 1115
 Sea Conditions: CALM
 Vessel Name: BEAUVAIS
 Survey Type: CONDITION, SB
 Sounding Frequency***: LOW



0 500 1,000 1,500 2,000 2,500
 Feet

NOTES:
 Horizontal Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane
 Coordinate System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW-12-15).
 Datum Relationships for gage 01575 as of March 2020:
 0.0' NAVD88, 2009.55 ± 0.1' MLLW = 3.60' MLG

Distances on the Mississippi River, above and below Head of Passes are shown
 at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.
 2016 Aerial Photography data source: Precision Aerial Reconnaissance, LLC (1998 DOQQ in green)
 Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding
 location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz)
 survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom
 material. Low frequency accuracies may vary depending on channel conditions and fathometer
 settings.

Sheet
 Reference
 Number
8 of 13

Revision Number:
 4-1-20191105

US Army Corps of Engineers
 District: CEMVN

DISCLAIMER
 These data represent the results of data collection processing by a specific US Army Corps of Engineers activity and include the general existing conditions as such. The user is responsible for the results of any application of the data for other than its intended purpose.
Data Constraints: Hydrographic survey data is subject to rapid changes due to several factors including, but not limited to dredging, Army Corps of Engineers actions to change the hydrographical conditions which develop after the date of publication. This information is for reference purposes only and is not to be used for navigation.

U.S. ARMY CORPS OF ENGINEERS NEW ORLEANS DISTRICT	Surveyed By: JJC & MGF
Submitted:	Planned By: TS
Recommended: Chief, Survey Section	Checked By: MSK
Approved: Chief, Waterways Maintenance Section	

**MISSISSIPPI RIVER - B.R. TO GULF
 SOUTHWEST PASS - SHEET 8
 SW_08_SWP_20210219_CS_PRO**
 19 February 2021